

SAFETY DATA SHEET

DAPHNE SUPER COAT MT

Version 1.1	Revision Date: 2021/10/21	SDS Number: 100000012291	Date of last issue: 2021/06/18 Date of first issue: 2021/06/18	

1. PRODUCT AND COMPANY IDENTIFICATION

	Product name :	DAPHNE SUPER COAT MT				
	Product code :	AT_582				
	Manufacturer or supplier's deta	ils				
		Apollo (Thailand) Co., Ltd.				
	Address :	Amata City Chonburi Industrial Estate (Phase6) 700/623 Moo				
	Telephone :	4, Bankao, Panthong, Chonburi 20160, Thailand +66-3845-6900				
	Emergency telephone :	001 800 120 666 751(toll-free,access from Thailand only)				
	Telefax :	+66-3821-0099				
	Recommended use of the chem	ical and restrictions on use				
	Recommended use :	Lubricant				
		le				
	Restrictions on use :	XC				
	~	None known.				
2 ⊨	2. HAZARDS IDENTIFICATION					
2.1						
	GHS Classification					
	Flammable liquids :	Category 3				
	Skin corrosion/irritation :	Category 2				
	Aspiration hazard :	Category 1				
	GHS label elements					
	Hazard pictograms :	$\land \land \land$				
	Signal Word :	Danger				
	Hazard Statements :	H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.				
	Precautionary Statements :	Prevention:				
		P210 Keep away from heat/ sparks/ open flames/ hot surfaces.				

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/

- equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Hydrocarbons

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
alkanes, C10-13-iso-	68551-17-7	>= 90 - <= 100
Sulfonic acids, petroleum, calcium salts	61789-86-4	>= 0.1 - < 1
1H-Benzotriazole-1-methanamine, N,N-bis(2- ethylhexyl)-ar-methyl-	94270-86-7	>= 0.1 - < 0.25

No hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Mineral oil	-	< 6
Ester	-	< 4
Lubricating oil additive	-	< 2

Total mineral oil concentration(% w/w) : < 6

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alconolic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	May be ratal if swallowed and enters airways. Causes skin irritation.
FIRE-FIGHTING MEASURES	5	
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known
Specific extinguishing methods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

4

7. HANDLING AND STORAGE

Advice on protection against :	Do not spray on a naked flame or any incandescent material.
fire and explosion	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open fiames, hot surfaces and sources of ignition.
Advice on safe handling :	 Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage :	No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

AT_582 - DAPHNE SUPER COAT MT

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Distillates (petroleum), solvent- refined light paraffinic	64741-89-5	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Personal protective equipment

Hand protection

Remarks :	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection :	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection :	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures :	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	transparent
Physical state	:	liquid
Color	:	light brown
Odor	:	slight
Pour point	:	< -60.0 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	48.0 °C Method: Pensky-Martens closed cup
Density	:	0.7673 g/cm3 (15 °C)
Solubility(ies) Water solubility	:	insoluble
Viscosity Viscosity, kinematic	:	1.650 mm2/s (40 °C)

10. STABILITY AND REACTIVITY

- DAPHNE SUPER COAT MT AT 582

Reactivity	No decomposition if stored and app	lied as directed.
Chemical stability	No decomposition if stored and app	lied as directed.
Possibility of hazardous reactions	No decomposition if stored and app Vapors may form explosive mixture	
Conditions to avoid	Heat, flames and sparks.	
Incompatible materials	Strong acids and strong bases	
Hazardous decomposition products	No hazardous decomposition produ	ucts are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Vapors may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Remarks: May cause sensitization of susceptible persons by skin contact or by inhalation of aerosol or dust.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Solvents may degrease the skin.

12. ECOLOGICAL INFORMATION

A
No data available
0
le
×
Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels	 UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3 III 3
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels	 UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3 III Flammable Liquids

Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	:	366 355
IMDG-Code UN number Proper shipping name	:	UN 3295 HYDROCARBONS, LIQUID, N.O.S.
Class Packing group Labels EmS Code Marine pollutant	:	3 III 3 F-E, S-D no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act	: Not applica	able
Emergency Decree on Controlling the Use Substances	e of Volatile : Not applica	able

The ingredients of this product are reported in the following inventories:

ENCS		Listed
TSCA		Listed
EINECS	· · ·	Listed
REACH	:	For further information, please contact
DSL	:	Listed
AIIC	:	Listed
KECI	:	Listed
PICCS	:	Listed
IECSC	:	Listed
TCSI	:	Listed
NZIoC	:	Listed

16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Date format

yyyy/mm/dd

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TH / EN